Index to Volume 44

Authors and Titles

Adams, M.
See Hudson, P. 535

Ambrose, S. J., Bradshaw, S. D., Withers, P. C., and Murphy, D. P.
Water and energy balance of captive and free-ranging spinifexbirds, *Eremiornis carteri* North (Aves: Sylviidae), on Barrow Island, Western Australia 107

Andersen, A. N.
See Clay, R. E. 521
See Reichel, H. 81

Austin, C. M.
Systematics of the freshwater crayfish genus *Cherax* Erichson (Decapoda: Parastacidae) in northern and eastern Australia: electrophoretic and morphological variation 259

Austin, C. M., and Knott, B.
Systematics of the freshwater crayfish genus *Cherax* Erichson (Decapoda: Parastacidae) in south-western Australia: electrophoretic, morphological and habitat variation 223

Baker, G. L., Dysart, R. J., and Pigott, R. G.
Parasitism of grasshopper and locust eggs (Orthoptera: Acrididae) by *Scelio* species (Hymenoptera: Scelionidae) in southern Australia 427

Bartareau, T.
Foraging behaviour of *Trigona carbonaria* Sm. (Hymenoptera: Apidae) at multiple-choice feeding stations 143

Bedford, G. S.
See Christian, K. A. 59

Bladon, R. V.
See Hume, I. D. 327

Bradshaw, S. D.
See Ambrose, S. J. 107

Burton, H. R.
See Pahl, B. C. 75

Burton, T. C.
Adaptation and evolution in the hand muscles of Australo-Papuan hylid frogs (Anura: Hylidae: Pelodryadinae) 611

Cannon, L. R. G., and Watson, N. A.
Postero-lateral glands of *Temnocephala minor* Haswell, 1888 (Platyhelminthes: Temnocephalida) 69

Carthew, S. M.
See Woolnough, A. P. 319

Christian, K. A., Bedford, G. S., and Shannahan, S. T.
The solar absorptance of some Australian lizards and its relationship to temperature 59

Christidis, L.
See Sraml, M. 47

Christidis, L., Norman, J. A., Scott, I. A.W., and Westerman, M.
Molecular perspectives on the phylogenetic affinities of lyrebirds (Menuridae) and treecreepers (Climacteridae) 215

Christy, M.
See Pyke, G. H. 297

Clay, R. E., and Andersen, A. N.
Ant fauna of a mangrove community in the Australian seasonal tropics, with particular reference to zonation 521

Collet, C.
See Sraml, M. 47

Costa, D. P.
See Gales, N. J. 651

Cowan, P. E.
See Jolly, S. E. 479

De'ath, G.
See Merchant, J. C. 659

Donnellan, S. C.
See Mahony, M. J. 119, 639

Dysart, R. J.
See Baker, G. L. 427

Easteal, S.
See Sraml, M. 47

Erséus, C.
See Ferraguti, M. 469

Ferraguti, M., Erséus, C., and Pinder, A.
The spermatozoon of *Capilloventer australis* and the systematic position of the Capilloventridae (Annelida: Oligochaeta) 469

Frederick, H., and Johnson, C. N.
Social organisation in the rufous bettong, *Aepyprymnus rufescens* 9

Frigo, L., and Woolley, P. A.
Development of the skeleton of the stripe-faced dunnart, *Sminthopsis macroura* (Marsupialia: Dasyuridae) 155

Gales, N. J., Costa, D. P., and Kretzmann, M.
Proximate composition of Australian sea lion milk throughout the entire supra-annual lactation period 651

Hazlett, B. A.
Precopulatory behaviour of the hermit crabs *Diogenes avarus* and *Clibanarius virescens* 487

Horn, P.
See Sraml, M. 47

Hudson, P., and Adams, M.
Allozyme characterisation of the salt lake spiders (*Lycosa*: Lycosidae: Araneae) of southern Australia: systematic and population genetic implications 535

Hume, I. D., Bladon, R. V., and Soran, N.
Seasonal changes in digestive performance of common ringtail possums (*Pseudocheirus peregrinus*) fed *Eucalyptus* foliage 327

Jallow, M. F. A., and Zalucki, M. P.
Within- and between-population variation in host-plant preference and specificity in Australian *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) 503

James, C. D.
Ecology of the pygmy goanna (*Varanus brevicauda*) in spinifex grasslands of central Australia 177

Johnson, C. N.
See Frederick, H. 9

Jolly, S. E., Morriss, G. A., Scobie, S., and Cowan, P. E.
Composition of milk of the common brushtail possum, *Trichosurus vulpecula* (Marsupialia: Phalangeridae): concentrations of elements 479

Kay, R. F.
See Sánchez-Villagra, M. R. 461

Knott, B.
See Austin, C. M. 223

Kretzmann, M.
See Gales, N. J. 651

Lau, M.
See Osborne, W. S. 569

Lindenmayer, D. B., and Meggs, R. A.
Use of den tress by Leadbeater's possum (*Gymnobelideus leadbeateri* McCoy) 625

Loch, A. D., and Zalucki, M. P.
Spatial distribution of pink wax scale, *Ceroplastes rubens* Maskell (Hemiptera: Coccidae), on umbrella trees in south-eastern Queensland: the pattern of outbreaks 599

Lockwood, J. A., and Rentz, D. C. F.
Nest construction and recognition in a gryllacridid: the discovery of pheromonally mediated autorecognition in an insect 129

Loiterton, S. J., and Magrath, R. D.
Substrate type affects partial prey consumption by larvae of the antlion *Myrmeleon acer* (Neuroptera: Myrmeleontidae) 589

Lüter, C.
The median tentacle of the larva of *Lingula anatina* (Brachiopoda) from Queensland, Australia 355

Magrath, R. D.
See Loiterton, S. J. 589

Mahony, M. J., Norris, R. M., and Donnellan, S. C.
Karyotypes of south-west Pacific ranid frogs (Anura: Ranidae) 119

Mahony, M., Donnellan, S. C., and Roberts, J. D.
An electrophoretic investigation of relationships of diploid and tetraploid species of Australian desert frogs *Neobatrachus* (Anura: Myobatrachidae) 639

Major, R. E.
See Pyke, G. H. 297

Marsh, H.
See Merchant, J. C. 659

McAllan, B. M., Roberts, J. R., and O'Shea, T.
Seasonal changes in the renal morphology of *Antechinus stuartii* (Marsupialia: Dasyuridae) 337

Meggs, R. A.
See Lindenmayer, D. B. 625

Menzies, J. I.
A systematic revision of *Melomys* (Rodentia: Muridae) of New Guinea 367

Merchant, J. C., Marsh, H., Spencer, P., and De'ath, G.
Milk composition and production in free-living allied rock-wallabies, *Petrogale assimilis* 659

Morriss, G. A.
See Jolly, S. E. 479

Murphy, D. P.
See Ambrose, S. J. 107

Muths, E.
Milk composition in a field population of red kangaroos, *Macropus rufus* (Desmarest) (Macropodidae : Marsupialia) 165

Norman, J. A.
See Christidis, L. 215

Norris, R. M.
See Mahony, M. J. 119

Norton, T. W.
See Quin, D. G. 19

Osborne, W. S., Zentelis, R. A., and Lau, M.
Geographical variation in corroboree frogs, *Pseudophryne corroboree* Moore (Anura : Myobatrachidae): a reappraisal supports recognition of *P. pengilleyi* Wells & Wellington 569

O'Shea, T.
See McAllan, B. M. 337

Pahl, B. C., Terhune, J. M., and Burton, H. R.
Proportional weekly use of underwater call types by Weddell seals, *Leptonychotes weddellii* (Pinnipedia : Phocidae), during the breeding season at the Vestfold Hills 75

Paton, D. C.
See Weathers, W. W. 445

Pigott, R. G.
See Baker, G. L. 427

Pinder, A.
See Ferraguti, M. 469

Price, W. J.
See Valsecchi, P. 493

Pyke, G. H., Christy, M., and Major, R. E.
Territoriality in honeyeaters: reviewing the concept and evaluating available information 297

Quin, D. G., Smith, A. P., and Norton, T. W.
Eco-geographic variation in size and sexual dimorphism in sugar gliders and squirrel gliders (Marsupialia : Petauridae) 19

Reichel, H., and Andersen, A. N.
The rainforest ant fauna of Australia's Northern Territory 81

Rentz, D. C. F.
See Lockwood, J. A. 129

Roberts, J. D.
See Mahony, M. 639

Roberts, J. R.
See McAllan, B. M. 337

Sánchez-Villagra, M. R., and Kay, R. F.
Do phalangeriforms (Marsupialia : Diprotodontia) have a 'hypocone'? 461

Sanson, G.
See van Tets, I. 1

Scobie, S.
See Jolly, S. E. 479

Scott, I. A.W.
See Christidis, L. 215

Seeman, O. D.
Flower mites and phoresy: the biology of *Hattena panopla* Domrow and *Hattena cometis* Domrow (Acari : Mesostigmata : Ameroseiidae) 193

Seymour, R. S.
See Weathers, W. W. 445

Shannahan, S. T.
See Christian, K. A. 59

Singleton, G. R.
See Valsecchi, P. 493

Smith, A. P.
See Quin, D. G. 19

Soran, N.
See Hume, I. D. 327

Spencer, P.
See Merchant, J. C. 659

Sraml, M., Christidis, L., Easteal, S., Horn, P., and Collet, C.
Molecular relationships within Australasian waterfowl (Anseriformes) 47

Swain, R.
See Wapstra, E. 205

Terhune, J. M.
See Pahl, B. C. 75

van Tets, I., and Sanson, G.
Use of the metabolisable energy coefficient in bird studies: statistical power in taxa and food comparisons 1

Valsecchi, P., Singleton, G. R., and Price, W. J.
Can social behaviour influence food preference of wild mice, *Mus domesticus*, in confined field populations? 493

Wapstra, E., and Swain, R.
Feeding ecology of the Tasmanian spotted skink, *Niveoscincus ocellatus* (Squamata : Scincidae) 205

Watson, N. A.
See Cannon, L. R. G. 69

Weathers, W. W., Paton, D. C., and Seymour, R. S.
Field metabolic rate and water flux of nectarivorous honeyeaters 445

Westerman, M.
See Christidis, L. 215

White, R. W. G.
See Xiao-qun Su 97

Withers, P. C.
See Ambrose, S. J. 107

Woolley, P. A.
See Frigo, L. 155

Woolnough, A. P., and Carthew, S. M.
Selection of prey by size in *Ningaui yvonneae* 319

Xiao-qun Su and White, R. W. G.
Frequency distribution and host–parasite relationships of *Zschokkella leptatherinae* (Myxozoa : Myxiidae), a parasite of atherinid fishes 97

Zalucki, M. P.
See Jallow, M. F. A. 503
See Loch, A. D. 599

Zentelis, R. A.
See Osborne, W. S. 569